

References

1. Abbot, T.S. (1985). 'A Cockpit-Display Concept for Executing a Multiple Glide-Slope Approach for Wake-Vortex Avoidance', NASA Technical Paper 2386.
2. Abbot, T.S. (1991). 'A Compensatory Algorithm for the Slow-Down Effect on Constant-Time-Separation Approaches', NASA Technical Memorandum 4285.
3. Abbot, T.S. and Steinmetz, G.G. (1987). 'Integration of Altitude and Airspeed Information Into a Primary Flight Display Via Moving-Tape Formats', NASA Technical Memorandum 89064.
4. Abbott, T.; Nataupsky, M.; and Steinmetz, G. (1987): Subjective, Physiological and Performance Measures of Eight Primary Flight Displays. Proceedings of OSU APS, 721-727.
5. Adams, C. (1995). 'Flat Panels and Beyond', Avionics Magazine, Vol. 19, no. 11, pp. 18-23.
6. Adams, J. J. (1982). Flight-test verification of a pictorial display for general aviation instrument approach. NASA-TM-83305, June, 1982.
7. Adams, J. J. (1982). Simulator study of a pictorial display for general aviation instrument flight. NASA-TP-1963, March, 1982.
8. Adams, J. J. (1983). Display research: Pilot response with the "follow-me" box display. Controls, Displays and Inform. Transfer for Gen. Aviation IFR Operations/ p 181-188/ (SEE N84-12029 03-01), October, 1983.
9. Adams, J. J. (1983). Simulator study of pilot-aircraft-display system response obtained with a three-dimensional-box pictorial display. NASA-TP-2122, December, 1983.
10. Adams, J. J. and Lallman, F. J. (1978). Description and preliminary studies of a computer drawn instrument landing approach display. NASA-TM-78771, November, 1978.
11. Adams, J.J. (1963). 'Simulator Study of a Pictorial Display for General Aviation Instrument Flight', NASA Technical Paper 1963, Langley Research Center, Hampton, VA.
12. Aerospace (February 1995). 'Controlled flight into terrain', pp. 16-19.
13. Alter, K.W., Barrows, A.K., Enge, P., Jennings, C.W., Parkinson, B.W. and Powell, J.D. (1998). 'Inflight Demonstrations of Curved Approaches and Missed Approaches in Mountainous Terrain', Proceedings of the ION GPS Conference, Nashville.
14. Alter, K.W., Barrows, A.K., Jennings, C.W., & Powell, J.D. (2000). 3-D perspective primary flight displays for aircraft. Proceedings of the 44th annual meeting of the human factors and ergonomics society, 44, 29-32.
15. Andre, A.D., & Wickens, C.D. et al. (1990). Display formatting techniques for improving situational awareness in the aircraft cockpit (Tech. Rep. EPRL-90-

- 13). Champaign, ILL: University of Illinois, Engineering Psychology Research Laboratory
16. Aretz, A.J. (1990). Cognitive requirements for aircraft navigation, PhD Thesis University of Illinois at Urbana-Champaign, Il.
17. Arthur, J. J. III; Kramer, L. J.; Prinzel, L. J. III; Bailey, R. E.; and Parrish, R. V. (2004). Controlled Flight into Terrain Prevention with Synthetic Vision Concepts. NASA TP 213008, 2004.
18. AW&ST (1991). 'Filter Center: The World's First Demonstration..', Aviation Week & Space Technology, November 11, pp. 79.
19. AW&ST (1992). 'Antenna Lets Aircraft Receive Weather Satellite Data Directly', Aviation Week & Space Technology, November 2, pp. 54.
20. Aymeric, B.; Leger, A.; and Kostoj, T. H. (1998): The 2 Decision in EVS concept: An Experiment to Evaluate Pilots' Ability. Proceedings of Enhanced and Synthetic Vision 1998, pp. 45-53, SPIE.
21. Bailey, R. E.; Parrish, R. V.; Arthur, J. J., III; and Norman, R. M. (2002). Flight Test Evaluation of Tactical Synthetic Vision Display Concepts in a Terrain-Challenged Operating Environment. SPIE, April, 2002.
22. Bailey, R. E.; Parrish, R. V.; Kramer, L. J.; Harrah, S. D.; and Arthur, J.J., III (2002). Technical Challenges in the Development of a NASA Synthetic Vision System Concept. Proceedings of the North Atlantic Treaty Organization (NATO) Symposium on Enhanced and Synthetic Vision Systems, Sept., 2002
23. Bailey, R.W. (1982). Human Performance Engineering: A Guide for System Designers. Englewood Cliffs, NJ.
24. Ballas, J.A., Heitmeyer, C.L., and Perez, M.A. (1991). 'Interface styles for the intelligent cockpit: Factors influencing automation deficit', AIAA-91-3799-CP, pp. 657-667.
25. Barfield, W.B. and Rosenberg, C. (1992). 'The Effect of Geometric Field of View and Tunnel Design for Perspective Flight-Path Displays', SAE 921131, Society of Automotive Engineers.
26. Barnett, B.J. and Wickens, C.D. (1988). 'Display proximity in multicue information integration: The benefit of boxes', Human Factors, Vol. 30, pp. 15-24.
27. Barrows, A.K., Enge, P., Parkinson, B.W., and Powell, J.D. (1996). 'Flying Curved Approaches and Missed Approaches: 3-D Display Trials Onboard a Light Aircraft', Proceedings of the 9th International Technical Meeting of the Satellite Division of the Institute of Navigation, ION GPS-96, Sept. 17-20, Kansas City, Missouri.
28. Bartolone, Anthony P., Hughes, Monica F., Wong, Douglas T., Takallu, Mohammad, A.: Symbology Development for General Aviation Synthetic Vision Primary Flight Displays for the Approach and Missed-Approach Modes

of Flight, Human Factors and Ergonomics Society Meeting, New Orleans, LA., September, 2004.

29. Bateman, D. (1990). 'Past, Present and Future Efforts to Reduce Controlled Flight Into Terrain (CFIT) Accidents' 43rd Annual International Air Safety Seminar, pp. 285-296, Rome, Italy.
30. Baty, D.L. (1976). 'Evaluating a CRT Map Predictor for Airborne Use', IEEE Transactions on Systems, Man, and Cybernetics, March, pp. 209-215.
31. Baty, D.L. (1976). 'Rationale and Description of a Coordinated Cockpit Display for Aircraft Flight Management', NASA Technical Memorandum 3456, Ames Research Center, Moffett Field, CA.
32. Beevis, D. (1987). 'Experience in the Integration of Human Engineering Effort with Avionics Systems Development', In: AGARD: The Design, Development and Testing of Complex Avionics Systems, pp. 27.1-27.9.
33. Below, C., Viebahn, H., and Purpus, M. (1997). 'Flight Tests of the 4D Flight Guidance Display', Proceedings of the SPIE, Vol. 3088, pp. 74-80.
34. Bennet, K.B. and Flach, J.M. (1994). 'When Automation Fails...', Human Performance in Automated Systems: Current Research and Trends, pp. 229-234, Hillsdale, NJ.
35. Beringer, D.B. (1996), "Basic Systems Approach to AGATE Flight Systems", Prepared for: AGATE Flight Systems Work Package, Technical Memorandum TM-AAM-500-96-05, March 1996.
36. Beringer, D.B. (1999), "Flight command-guidance indicators or pathway display: My way or the highway?" Proceedings of the 10th International Symposium on Aviation Psychology, May 2-6, 1999, Columbus, Ohio
37. Beringer, D.B. (2000). Development of highway-in-the-sky displays for flight path guidance: History, performance results, guidelines. Proceedings of the 44th annual meeting of the human factors and ergonomics society, 44, 21-24.
38. Billings, C.E. (1991). 'Human-Centered Aircraft Automation: A Concept and Guidelines', NASA Technical Memorandum 103885.
39. Billings, C.E. and Woods, D.D. (1994). 'Concerns About Adaptive Automation in Aviation Systems', Human Performance in Automated Systems: Current Research and Trends, pp. 264-269, Hillsdale, NJ.
40. Boeing 737/747/757/767/777 Airplane Configuration Bulletin (1995), Minutes of Customer/Industry GNSS Landing Systems (GLS) Briefing, November 9, 1995, Everett WA.
41. Boles, D.B., & Wickens, C.D. (1987). Display formatting in information integration and non-integration tasks. Human Factors, 29, 395-406.
42. Bordano, A.; Lacovara, J.U.; DeVall, R.; Partin, C.; Sugano, J.; Doane, K.; and Compton, J. (1993): Cooperative GN&C Development in a Rapid Prototyping

- Environment. In: Proc. of the 9th AIAA Computing in Aerospace Conference, pp. 883-890.
43. Breedveld, P. (1995). 'The Development of a Predictive Display for Space Manipulator Positioning Tasks', Proceedings of the XIV European Annual Conference on Human Decision Making and Manual Control, Delft, The Netherlands.
 44. Breeuwer, E.J.; Moelker, D.J.; and van Willigen, D. (1993): The MLS Integrated Approach System: Hybrid Position Calculation and Initial Flight Test Results. Proceedings of the 49th Annual Meeting of the ION, Boston, June 21-23.
 45. Breeuwer, E.J.; van Goor, S.P.; Zaaijer, M.B.; Moelker, D.J.; and van Willigen, D. (1995): Flight test results of an advanced hybrid position filter for the Multi Mode Integrated Approach System. Proceedings of the ISPA.
 46. Brooks, P.E. (1998). The promise of four-dimensional flight displays. Flight Deck International '98 pp. 6-12
 47. Burgess, M.A. and Hayes, R.D. (1993). 'Synthetic Vision - A View in the Fog', IEEE Aerospace and Electronics Systems Magazine (March, pp. 6-13.
 48. Busquets, A. M.; Parrish, R. V.; and Williams, S. P. (1991). Effects of Alternative Pictorial Pathway Displays and Stereo 3-D Presentation on Simulated Transport Landing Approach Performance. SPIE/SPSE Symposium on Electronic Imaging, Feb. 1991.
 49. Busquets, A. M.; Williams, S. P.; and Parrish, R. V. (1990). Effect on Real-World Depth Perception from Exposure to Heads-Down Stereoscopic Flight Displays. SPIE/SPSE Display Technologies Conference, SPIE 1256-06, Feb., 1990.
 50. Busquets, A. M.; Williams, S. P.; and Parrish, R. V. (1991). Effect of Short-Term Exposure to Stereo 3-D Flight Displays on Real-World Depth Perception. NASA TP 3117, October 1991.
 51. Butterworth-Hayes, P. (1996). 'Teamwork becomes more complicated', Aerospace America, Vol. 34, No. 2, pp. 4-5.
 52. Carel, W. L. (1965): Pictorial Displays for Flight, JANAIR TR-2732-01/40, December 1965
 53. Collins, L (1963), "Etc.," Air Facts, May 1963, pp. 63-79
 54. Collins, RL (2001), "Sky Pie," Flying, October 2001, pp. 16-20
 55. Connor, G.L. and Mages, J.G. (1993). 'Enhanced Vision System Flight Test and Development for Commercial Aviation', Proceedings of the International Symposium on Head-Up Displays and Enhanced Vision Systems, October 25-26, Amsterdam, The Netherlands.

56. Corwin, W.H.; Probert, A.; and Royer, R. (2000): Synthetic Terrain Imagery for Helmet-Mounted Display. Proceedings of the 7 International Conference of Aviation Psychology, pp. Th 108-114.
57. Croom, T.L., (2004): 2004 Interactive SVS GA Workshop. Proceedings of the NASA/FAA/GAMA SVS GA workshop, NASA LaRC
58. Cross, K. D. and Cavallero, F. R. (1971): Utility of the Vertical Contact Analog Display for Carrier Landings - A Diagnostic Evaluation. Guidance and Control Displays, AGARD CP-96, October 1971, paper 21
59. Cross, K.D. and Bittner, A.C. (1969). 'Accuracy of Altitude, Roll Angle, and Pitch Angle Judgements As a Function of Size of Vertical Contact Analog Display', Technical Memorandum TM-69-2, Naval Missile Center, Point Mugu, CA.
60. Curry, R.E. (1985). The Introduction of New Cockpit Technology: A Human Factors Study. NASA Technical Memorandum 86659.
61. Curry, R.E., Kleinmann, D.L., and Hoffman, W.C. (1977). A Design Procedure for Control/Display Systems. Human Factors, Vol. 19, No. 5, pp. 421-436.
62. Desmond, J.P. and Ford, D.W. (1984). Certification of a Holographic Head-Up Display for Low Visibility Landings. Proceedings of the 6th AIAA/IEEE Digital Avionics Systems Conference, December 3-6, Baltimore, MD.
63. Doherty, S.M., & Wickens, C.D. (2001). Effects of preview, prediction, frame of reference, and display gain in tunnel-in-the-sky displays. Proceedings of the 11th International Symposium on Aviation Psychology. Columbus, OH: Dept. of Aerospace Engineering, Applied Mechanics, and Aviation, Ohio State University
64. Dorigi, N. S.; Ellis S. R.; and Grunwald A. (1993). Perspective format for a primary flight display (ADI) and its effect on pilot spatial awareness. Proceedings of the 39th annual meeting of the human factors and ergonomics society, Page 88.
65. Dorigi, Nancy S.; Ellis, Stephen R.; and Grunwald, Arthur J. (1991). Evaluation of perspective displays on pilot spatial awareness in low visibility curved approaches. AIAA Paper 91-3727, Jan, 1991.
66. Dornheim, M.A. (1995). 'Accidents Direct Focus on Cockpit Automation', Automated Cockpits Special Report - Part 1, Aviation Week and Space Technology, January 30, pp. 57-59.
67. Dorp, W.H. van (1995). Time-to-Wall Crossing en perspective flightpath displays. M.Sc. Thesis, Faculty of Aerospace Engineering, Delft University of Technology (in Dutch).
68. Dougherty, D.J.; Emery, J. H.; and Curtin, J. G. (1964): Comparison of Perceptual Workload in Flying Standard Instrumentation and the Contact Analog Vertical Display, JANAIR Report AD-610617, 1964

69. Drake, K.C. and Rothstein, S.W. (1988). 'Display Requirements for a Threat Response System', SAE 881437, pp. 3-8.
70. Dudfield, H.J. (1988). Pictorial Displays in the Cockpit: A Literature Review, Technical Memo FS(F) 690, Royal Aerospace Establishment.
71. Eisele, J. E.; Williges, R. D.; and Roscoe, S.N. (1976): The Isolation of Minimum Sets of Visual Image Cues Sufficient for Spatial Orientation During Aircraft Landing Approaches, University of Illinois ARL-76-16/ONR-76-3, November 1976; AD-A046369
72. Ellis, S.R. and McGreevy, M.W. (1983). 'Influence of a Perspective Cockpit Traffic Display Format on Pilot Avoidance Maneuvers', Proceedings of the Human Factors Society 27th Annual Meeting, pp. 762-766.
73. Ellis, S.R., McGreevy, M.W., Hitchcock, R.J. (1987). 'Perspective Traffic Display Format and Airline Pilot Traffic Avoidance', Human Factors, Vol. 29, No. 4, pp. 371-382.
74. Ellis, S.R., Tyler, M., Kim, W.S., and Stark, L. (1991). 'Three-Dimensional Tracking with Misalignment Between Display and Control Axes', SAE Transactions: Journal of Aerospace, 100-1, pp. 985-989.
75. Endsley, M.R. (1988). 'Design and Evaluation for Situation Awareness Enhancements', Proceedings of the Human Factors Society 32nd Annual Meeting, pp. 97-101, Santa Monica, CA.
76. Endsley, M.R. (1995). 'Towards a New Paradigm for Automation: Designing for Situation Awareness', Proceedings of the '95 IFAC MMS Conference, pp. 421-426, June 27-29, Cambridge, MA.
77. Endsley, M.R. and Bolstad, C.A. (1993). 'Human Capabilities and Limitations in Situation Awareness', Combat Automation for Airborne Weapon Systems: Man/Machine Interface Trends and Technologies, AGARD-CP-520, pp. 19.1-19.10.
78. Endsley, M.R. and Kiris, E.O. (1994). 'The Out-of-the-Loop Performance Problem: Impact of Level of Automation and Situation Awareness', Human Performance in Automated Systems: Current Research and Trends, pp. 50-56, Hillsdale, NJ.
79. Erkelens, L.J.J. and van Dronkelaar, J.H. (1990). 'Flight Simulator Evaluation of the Flyability of Curved MLS Approaches with Wide-Body Aircraft', NLR CR 90238 L, National Aerospace Laboratory NLR, The Netherlands.
80. Ethell, J.L. (1994). 'NASA's blueprint for a general aviation renaissance', Aerospace America, Vol. 32, No. 10, pp. 38-43.
81. Etherington, T.J.(1996). "Perspective Displays Reference List", Internal Report, Rockwell Collins, June 18, 1996 (Updated 1997, 1999).
82. Experimentation Du Collimateur De Pilotage TC 125, Figuration PERSEPOLIS Au Simulateur Mercure, Centre d'Essais en Vol Report 23/CEV/IS/SE/AV/80, October 1980

83. Fadden, D.M., Braune, R. And Wiedemann, J. (1987). 'Spatial Displays as a Means to Increase Pilot Situational Awareness'. Spatial Displays and Spatial Instruments, NASA CP10032, pp. 35-1 to 35-12.
84. Fadden, S.; Ververs, P. M.; and Wickens, C. D. (2001). Pathway HUDs: Are They Viable? Proceedings of the 43th Annual Meeting of the Human Factors and Ergonomics Society, 43-2, 173-193.
85. Ferguson, D. and Radke, J. (1993). 'Synthetic Vision/Enhanced Vision System Implementation', IEEE 0-7803-1325-9, pp. 91-95.
86. Filarsky, S.M. and Hoover, S.W. (1983). The Command Flight Path Display, Naval Air Development Centre, Warminster, PA.
87. Finneran, M. (1995). 'A Forward-Looking Technology Goes Commercial', Aerospace America, Vol. 33, No. 2, pp. 28-32.
88. Flach, J.M. (1994). 'Situation Awareness: The Emperor's New Clothes', Human Performance in Automated Systems: Current Research and Trends, pp. 241-248, Hillsdale, NJ.
89. Flohr, E. and Huisman, H. (1997). 'Perspective Primary Flight Displays in the 4D ATM Environment', Proceedings of the 9 International Symposium on Aviation Psychology, Columbus, OH.
90. Fornaca, S., Shoucri, M., and Yujiri, L. (1998). 'Passive Millimeter Wave Video Camera for Aviation Applications', Proceedings of Enhanced and Synthetic Vision 1998, pp. 20-25, SPIE.
91. Foyle, D. (1993): "Sensor Fusion Display Evaluation using Information Integration Models in Enhanced/Synthetic Vision Applications", AVID Workshop, NASA Conference Proceedings 10128, Moffett Field, CA, December 1993.
92. Foyle, D. C.; Ahumada, A. J.; Larimer, J.; and Sweet, B. (1992): Enhanced/Synthetic Vision Systems : Human Factors Research and Implications for Future Systems. SAE SP-933, 1992.
93. Fulghum, D.A. (1996). 'ARPA Explores Unmanned Combat Aircraft Designs', Aviation Week & Space Technology, Feb. 26, pp. 23.
94. Fulghum, D.A. (1996). 'Boeing Plans Unmanned Fighter', Aviation Week & Space Technology, March 4, pp. 20.
95. Fulghum, D.A. (1996). 'Pilots to Leave Cockpit in Future Air Force', Aviation Week & Space Technology, Feb. 5, pp. 26.
96. Funabiki, K. (1998). 'Tunnel-in-the-Sky Display Enhancing Autopilot Mode Awareness', pp. 29-1 to 29-11.
97. Funabiki, K., Muraoka, K., Terui, Y., Harigae, M., and Ono, T. (1999). 'In-flight Evaluation of Tunnel-in-the-Sky Display and Curved Approach Pattern', Proceedings of the AIAA GNC Conference, pp. 108-11x, Portland, Oregon.

98. Funk, J.D., Beck, C.P., Johns, J.B. (1993). 'Primary Display Latency Criteria Based on Flying Qualities and Performance Data', Proc. of Piloting Vertical Flight Aircraft, pp. 4.77-4.90, San Francisco, CA.
99. Furness, T. A. (1986): The Super Cockpit and Human Factors Challenges. Proceedings of Human Factors Society 30th Annual Meeting, 1986, pp. 48-52.
100. G.Sachs, K. Dobler, P. Hermle, (1998), "Synthetic Vision Flight Tests for Curved Approach and Landing," TU Muenchen, IEEE 0-7803-5086-3.
101. Gibson, J.C. (1999). 'Development of a methodology for excellence in handling qualities design for fly-by-wire aircraft'. ISBN 90-407-1841-5, Delft University Press, Delft, The Netherlands.
102. Gibson, J.J. (1950). The Perception of the Visual World, Houghton, Mifflin, Boston.
103. Gibson, J.J., Olum, P., Rosenblatt, F. (1955). 'Parallax and perspective during aircraft landings', American Journal of Psychology, 68, pp. 372-385.
104. Glaab, L.J.; and Takallu, M.A. (2002): Preliminary Effect of Synthetic Vision Systems Displays to Reduce Low-Visibility Loss of Control and Controlled Flight into Terrain Accidents. SAE 2002-01-1550.
105. Glaab, Louis J. and Hughes, Monica F. (2003); Terrain Portrayal for Head-Down Displays Flight Test. 22nd Digital Avionics Systems Conference, Indianapolis, IN.
106. Glaab, Louis J., Kramer, Lynda J., Arthur, Trey, Parrish, Russell V., Barry, John S; Flight Test Comparison of Synthetic Vision Display Concepts at Dallas/Fort-Worth Airport, NASA TP-2003-212177.
107. Godthelp, H. (1984). 'Studies on Human Vehicle Control', PhD Thesis, Institute for Perception TNO, Soesterberg, The Netherlands.
108. Godthelp, H., Milgram, P., and Blaauw, G.J. (1983). 'Driving under Temporary, Visual Occlusion: an Analysis in terms of the TLC Concept', Proceedings of the Third European Annual Conference on Human Decision Making and Manual Control , pp. 357-370, Roskilde, Denmark.
109. Gordon, D.A. (1966). 'Perceptual Basis of Vehicular Guidance', Public Roads, Vol. 34, No. 3, pp. 53-68.
110. Greig, I., Shaw, G., and Lumsden, B. (1997). Augmented Vision Systems for the All Weather Autonomous Landing Guidance of Fixed Wing Aircraft: An Investigation of the Key Parameters by Piloted Flight Simulation.
111. Grunwald, A. J. (1983): Evaluation of a computer-generated perspective tunnel display for flight path following. NASA TP-1736.
112. Grunwald, A.J. (1981). 'Experimental Evaluation of a Perspective Tunnel Display for Three-Dimensional Helicopter Approaches', Journal of Guidance and Control, Vol. 4, No. 6, pp. 623-631.
113. Grunwald, A.J. (1984). 'Tunnel Display for Four-Dimensional Fixed-Wing Aircraft Approaches', Journal of Guidance, Vol. 7, No. 3, pp.369-377.

114. Grunwald, A.J. (1985). 'Predictor Laws for Pictorial Flight Displays', *Journal of Guidance*, Vol. 8, No. 5, pp. 545-552.
115. Grunwald, A.J. (1996). 'Improved Tunnel Display for Curved Trajectory Following: Control Considerations'. *Journal of Guidance, Control, and Dynamics*, Vol. 19, No. 2, pp. 370-377.
116. Grunwald, A.J. (1996). 'Improved Tunnel Display for Curved Trajectory Following: Experimental Evaluation'. *Journal of Guidance, Control, and Dynamics*, Vol. 19, No. 2, pp. 378-384.
117. Grunwald, A.J. and Kohn, S. (1993). 'Visual Cueing Considerations in Nap-of-the-Earth Helicopter Flight by Head-Slaved Helmet-Mounted Displays', *Proceedings of the symposium Piloting Vertical Flight*, San Fransisco, CA.
118. Grunwald, A.J., Merhav, S.J. (1978). 'Effectiveness of Basic Display Augmentation in Vehicular Control by Visual Field Cues', *IEEE Transactions on Systems, Man, and Cybernetics*, Vol. SMC-8, No. 9, pp. 679-690.
119. Grunwald, A.J., Robertson, J.B., and Hatfield, J.J. (1981). 'Experimental Evaluation of a Perspective Tunnel Display for Three-Dimensional Helicopter Approaches', *Journal of Guidance and Control*, Vol. 4, No. 6, pp. 623-631.
120. Grunwald, A.J.; Robertson, J. B.; and Hatfield, J. J. (1980). *Evaluation of a Computer-Generated Perspective Tunnel Display for Flight Path Following*. NASA TP 1736, December 1980.
121. Hansman, R.J., Wanke, C., Kuchar, J., Mykityshyn, M., Hahn, E., and Midkiff, A. (1982). 'Hazard Alerting and Situation Awareness in Advanced Air Transport Cockpits', *Proceedings of the 18th Congress of the International Council of the Aeronautical Sciences (ICAS)*, pp. 1826-1836, Sept. 20-25, Beijing, China.
122. Harris Sr., R.L. and Mixon, R.W. (1981). 'Effects of Curved Approach Paths and Advanced Displays on Pilot Scan Patterns', *NASA Technical Paper 1846*, Langley Research Center, Hampton, VA.
123. Harris, R. L., Sr.; and Parrish, R. V. (1992). *Piloted Studies of Enhanced or Synthetic Vision Display Parameters*. SAE 1992 Transactions, *Journal of Aerospace*, Section 1, Volume 101, 1992.
124. Harris, R. L., Sr.; and Parrish, R. V. (1992). *Piloted Studies of Enhanced or Synthetic Vision Display Parameters*. SAE Aerotech Conference and Exposition, Oct. 1992.
125. Harte, K.M. (1986). *A Flight Simulation Tool for the Study of Predictive Flight Displays*, Urbana, Illinois.
126. Harwood, K. (1989). 'Cognitive Perspectives on Map Displays for Helicopter Flight', *Proceedings of the Human Factors Society 33rd Annual Meeting*, pp. 13-17.

127. Haskell, I.D. and Wickens, C.D. (1993). 'Two- and Three-Dimensional Displays for Aviation: A Theoretical and Empirical Comparison', *The International Journal of Aviation Psychology*, Vol. 3, No. 2, pp. 87-109.
128. Hatfield, J. J.; and Parrish, R. V. (1990). *Advanced Cockpit Technology for Future Civil Transport Aircraft*. 11th IEEE \ AESS Dayton Chapter Symposium, November, 1990.
129. Hatfield, J. J.; Parrish, R. V.; Burley, J. R. II; and Williams, S. P. (1992). *Advanced Cockpit Technology for Future Aircraft*. AGARD, May 1992.
130. Hawkins, J.S., Reising, J.S. and Gilmour, J.D. (1983). 'Pictorial Format Display Evaluation', *IEEE*, pp. 1132-1138.
131. Haworth, L.A. and Seery, R.E. (1992). 'Rotorcraft Helmet Mounted Display Symbology Research', *Society of Automotive Engineers*, SAE 921977.
132. Hearn, D. and Baker, M.P. (1986). *Computer Graphics*, Prentice-Hall, ISBN 0-13-165598-1.
133. Hecker, P. and Doehler, H.U. (1998). 'Enhanced Vision Systems: Results of Simulation and Operational Tests', *Proceedings of Enhanced and Synthetic Vision 1998*, pp. 11-19, SPIE.
134. Hess, R.A. (1977). 'Analytical Display Design for Flight Tasks Conducted Under Instrument Meteorological Conditions', *IEEE Transactions on Systems, Man, and Cybernetics*, Vol. 7, No. 6, pp. 453-462.
135. Hess, R.A. (1987). 'Feedback Control Models', *Handbook of Human Factors* (Eds: Salvendy, G.), pp. 1212-1242, Wiley & Sons.
136. Honaker, D. and Anderson, M.R. (1994). 'Longitudinal Axis Display Requirements for High Speed Cruise'. *Proceedings of the AIAA Guidance, Navigation and Control Conference*, pp. 124-129, August 1-3, Scottsdale, AZ.
137. Hoover, G. W.; Cronauer, C. T.; and Shelley, S. H. (1985): *Command Flight Path Display F-14 Flight Test Program*. NADC-85128-60
138. Hoover, G. W.; Shelley, S. H.; Cronauer, C. T.; Filarsky, S. M. (1984): *Command Flight Path Display - All Weather, All Missions*. 6th *Advanced Aircrew Display Symposium*, pp. 144-156
139. Houck, R.; Kelly, B.D.; and Wiedemann, J. (1986): *An Integrated Display for Vertical Situation Awareness in Commercial Transport Aircraft*. *Fifth Aerospace Behavioral Engineering Technology Conference Proceedings*, pp. 61-64, Long Beach, CA.
140. Hughes, D. (1996). 'Aerobyte: F22 Software', *Aviation Week & Space Technology*, February 19, pp. 51.
141. Hughes, Monica F. and Glaab, Louis J. (2003): *Terrain Portrayal for Head-Down Displays Simulation Results*. 22nd *Digital Avionics Systems Conference*, Indianapolis, IN.

142. Hughes, Monica F. and Takallu, M. A. (2002): Terrain Portrayal for Head-Down Displays Experiment. International Advanced Avionics Technology Conference, Anchorage, AK.
143. Hutchins, E.L., Hollan, J.D., and Norman, D.A. (1986). 'Direct Manipulation Interfaces', User Centered System Design - New Perspectives on Human-Computer Interaction (Eds. Norman, D.A. and Draper, S.W.), Lawrence Erlbaum Associates, Hillsdale, NJ.
144. IATA (1994). Aircraft Automation Part 1: Operations and Safety Considerations, International Air Transport Association, Geneva.
145. IATA (1994). Aircraft Automation Part 2: Engineering and Maintenance Considerations, International Air Transport Association, Geneva.
146. Jacques, D. and Ridgely, D. (1995). 'Discrete-time, Mixed-Norm Control Synthesis Applied to Aircraft Terrain Following', AIAA Guidance, Navigation and Control Conference.
147. Jaeger, R., Agarwald, G., & Gottlieb, G. (1980). Predictor operator in pursuit and compensatory tracking. *Human Factors*, 22, 497-506.
148. Jauer, R.A. and Mitori, R.M. (1982). 'Pictorial Formats Software Preliminary Requirements Definition', AFWAL-TR-81-3156 Volume II, Flight Dynamics Laboratory, Air Force Wright Aeronautical Laboratories, Wright-Patterson AFB, OH.
149. Jauer, R.A., Quinn, T.J. (1982). 'Pictorial Formats: Volume 1 - Format Development', AFWAL-TR-81-3156 Volume II, Flight Dynamics Laboratory, Air Force Wright Aeronautical Laboratories, Wright Patterson AFB, OH.
150. Jenkins, J.P. and Kaiser, M. (1994). A NASA View of Synthetic Vision Systems, Proceedings of Synthetic Vision Systems for Civil Aviation, Royal Aeronautical Society, pp. 1.1-1.10.
151. Jensen, R.S. (1978). 'The Effects of Prediction, Quickening, Frequency Separation, and Percent of Pursuit in Perspective Displays for Low-Visibility Landing', Proceedings of the Human Factors Society - 22nd Annual Meeting-, pp. 208-212, Detroit, MI.
152. Jensen, R.S. (1981). Prediction and quickening in perspective displays for curved landing approaches. *Human Factors*, 23, 355-363.
153. Johannsen, G. (1994). 'Integrated Systems Engineering: The Challenging Cross-Discipline', Proceedings of the IFAC Conference on Integrated Systems Engineering, pp. 1-10, Baden-Baden, Germany.
154. Johnson, M. (1993). 'Boeing 777 Airplane Information Management System - Philosophy and Displays'. Proceedings of Advanced Avionics on the Airbus A330/A340 and the Boeing 777 Aircraft, pp. 8.1-8.8, Royal Aeronautical Society, London, UK.
155. Johnson, S.L. and Roscoe, S.N. (1972). 'What Moves; the Airplane or the World?', *Human Factors*, Vol. 14, No. 2, pp. 107-130.

156. Johnson, W.W., Awe, C.A. (1993). 'Use of Optical Edge and Optical Flow Rate Information in the Perception and Control of Ground Velocity', Proceedings of the Seventh International Symposium on Aviation Psychology, pp. 286-291.
157. Jones, D.R., Abbott, T.S., Burley II, J.R. (1992). 'Evaluation of conformal and body-axis attitude information for spatial awareness', *Helmet-Mounted Displays III*, SPIE Vol. 1695, pp. 146-153.
158. Jones, D.R., Quach, S.D., & Young, S.D. (2001). Runway Incursion Prevention System – Demonstration and testing at Dallas/Fort Worth International Airport. 20th Annual Digital Avionics Systems Conference (DASC). Daytona Beach, FL.
159. Jones, L.F., Schrader, H.J., Marshall, J.N. (1950). 'Pictorial Display in Aircraft Navigation and Landing', Proceedings of the I.R.E., pp.391-400.
160. Jung, Y.C. and Hess, R.A. (1991). 'Precise Flight-Path Control Using a Predictive Algorithm', *Journal of Guidance*, Vol. 14, No. 5, pp. 936-942.
161. Kahneman, D. And Henik, A. (1981). 'Perceptual organization and attention'. In: Kubovy, M. and Pomerantz, J.R. (Eds.) 'Perceptual organization', pp. 181-209, Hillsdale, NJ.
162. Kaiser, M.K., and Mowafy, L. (1993). 'Visual Information for Judging Temporal Range', *Proc. of Piloting Vertical Flight Aircraft*, pp. 4.23-4.27, San Francisco, CA.
163. Kaminer, I. And O'Shaughnessy, P.R. (1989). 4-D TECS Integration for NASA TSRV Airplane. NASA Contractor Report 4231.
164. Kaminer, I. and O'Shaughnessy, P.R. (1989). '4D-TECS Integration for NASA TSRV Airplane', NASA Contractor Report 4231, Langley, VA.
165. Kedde, E.D.W. (1996). Numerical Evaluation of a Perspective Flightpath Display - Influence of Design and Positioning System Parameters on Closed Loop Stability, M.Sc. Thesis, Delft University of Technology, Faculty of Electrical Engineering, Department of Telecommunications- and Traffic Control Systems.
166. Keller, M.; Schnell, T.; Glaab, L. J.; and Parrish, R. V. (2003) : Pilot Performance as a Function of Display Resolution and Field Of View in a Simulated Terrain Following Flight Task Using a Synthetic Vision System. Proceedings of the 22nd Digital Avionics Systems Conference, Oct. 2003.
167. Kelley, C.R. (1962). 'Predictor Instruments Look Into the Future', *Control Engineering* (March), pp. 86-90.
168. Kelly, R.J. and Davis, J.M. (1994). 'Required Navigation Performance (RNP) for Precision Approach and Landing with GNSS Application', *Journal of the Institute of Navigation*, Vol. 41, No. 1, pp. 1-30.
169. Kim, W.S., Ellis, S.R., Tyler, M.E., Hannaford, B.H., and Stark, L.W. (1987). 'Quantitative Evaluation of Perspective and Stereoscopic Displays in Three-Axis Manual Tracking Tasks', *IEEE Transactions on Systems, Man, and Cybernetics*, Vol. SMC-17, No. 1, pp. 61-71.

170. King, D.W. (1993). 'Handling Qualities Effects of Display Latency', Proceedings of 'Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors', pp. 4-43 to 4-54.
171. Kleinman, D.L., Baron, S., Levison, W.H. (1970). 'An Optimal Control Model of Human Response Part I: Theory and Validation', *Automatica*, Vol. 6, pp. 357-369.
172. Kleiss, J.A., Curry, D.G., Hubbard, D.C. (1988). 'Effect of Three-Dimensional Object Type and Density in Simulated Low-Level Flight', Proceedings of the Human Factors Society - 32nd Annual Meeting, pp. 1299-1303.
173. Klopstein, G. (1966): "Rational Study Of Aircraft Piloting," reprint from *Intrados*, ca. 1966; also see Klopstein, G, "Rational Study Of Aircraft Piloting," Proceedings 03rd Advanced Aircrew Display Symposium, Patuxent River, May 1976, pp. 231-248
174. Knox, C.E. (1993). 'Manual Flying of Curved Precision Approaches to Landing With Electromechanical Instrumentation - A Piloted Simulation Study', NASA Technical Paper 3255, Langley Research Center, Hampton, VA.
175. Knox, C.E. and Leavitt, J. (1977). 'Description of Path-in-the-Sky Contact Analog Piloting Display', NASA TM74057, Langley, VA.
176. Koester, K.L. and Vaillancourt, W. (1992). 'Talons 95 GHz Radar Sensor for Autonomous Landing Guidance', *IEEE AES Magazine*, pp. 40-44.
177. Konicke, M.L. (1988). '747-400 Flight Displays Development', Paper presented at the AIAA/AHS/ASEE Aircraft Design, Systems and Operations Meeting (AIAA 88-4439), Sept. 7-9, Atlanta, Georgia.
178. Kramer, L. J.; Prinzel, L. J. III; Bailey, R. E.; Arthur, J. J. III; and Parrish, R. V. (2004). Flight Test Evaluation of Synthetic Vision Concepts in a Terrain Challenged Environment. NASA TP-2004-212997.
179. Kuchar, J.K. and Hansman, R.J. (1993). 'An Exploratory Study of Plan-View Terrain Displays for Air Carrier Operations', *The International Journal of Aviation Psychology*, Vol. 3, No. 1, pp. 39-54.
180. La Russa, JA (1971), "A Multi-Purpose Wide Field, Three Dimensional Head-Up Display for Aircraft," *Guidance and Control Displays*, AGARD CP-96, paper 18
181. Lachmann, S.G. and McKinstry, R.G. (1975). 'Software Engineering of a Navigation and Guidance System for Commercial Aircraft', Proceedings of the AIAA Digital Avionics System Conference, Boston, MA.
182. Lambregts, A.A. (1978). 'Development of a Pitch Velocity Control Wheel Steering Control Law and Display System', Boeing Commercial Airplane Company, Document D6-32868.
183. Lambregts, A.A. (1983). 'Vertical Flight path and Speed Control Autopilot Design Using Total Energy Principle', AIAA Paper 83-2239CP.

184. Lambregts, A.A. (1983). 'Integrated System Design for Flight and Propulsion Control Using Total Energy Principles', AIAA Paper 83-2561CP.
185. Lambregts, A.A. (1995). 'Advanced Avionics/Flight Systems Design', Project description - executive summary, Faculty of Aerospace Engineering, Delft University of Technology.
186. Lambregts, A.A. and Cannon, D.G. (1979). 'Development of a Control Wheel Steering Mode and Suitable Displays that Reduce Pilot Workload and Improve Efficiency and Safety of Operation in the Terminal Area and in Windshear', AIAA Paper 79-1887CP.
187. LaPuma, A.A. and Marlin, C.A. (1993). 'Pilot's Associate: A Synergistic System Reaches Maturity', AIAA-93-4665-CP, pp. 1131-1141.
188. Larish, J.F., Flach, J.M. (1987). 'Judgement of Speed with Computer Generated Motion Displays', Proceedings of the Fourth International Symposium on Aviation Psychology, pp. 244-250.
189. Lee, D.N. (1976). 'A Theory of Visual Control of Braking based on Information about Time-to-Collision', Perception, Vol. 5, pp. 437-459.
190. Leppert, F. (1998). 'The AWARD Program', Proceedings of Enhanced and Synthetic Vision 1998, pp. 26-33, SPIE.
191. Lewis, M.S. (1993). 'Sensing a change in the Wind', Aerospace America (January), pp. 20-24+30.
192. Lin, K., Wang, M., Wang, J. And Schab, D.E. (1995). 'The Smoothing of Dead Reckoning Image in Distributed Interactive Simulation', Proceedings of the AIAA Flight Simulation Technologies Conference, pp. 83-87, Baltimore, MD.
193. Lindley, D.V. (1987). 'The Probability Approach to the Treatment of Uncertainty in Artificial Intelligence and Expert Systems', Statistical Science, Vol. 2, No. 1.
194. Lintern, G. and Liu, Y.T. (1991). 'Explicit and Implicit Horizons for Simulated Landing Approaches', Human Factors, Vol. 33, No. 4, pp. 401-417.
195. Lintern, G., Roscoe, S.N., Sivier, J.E. (1990). 'Display Principles, Control Dynamics, and Environmental Factors in Pilot Training and Transfer', Human Factors, Vol. 32, No. 3, pp. 299-317.
196. Lu, P. and Pierson, B. (1995). 'Aircraft Terrain-Following Based on A Nonlinear Continuous Predictive Control Approach', AIAA Guidance, Navigation and Control Conference, pp. 1544-.
197. Lu, P. and Pierson, B. (1996). 'Optimal Aircraft Terrain-Following Flight with Nonlinear Engine Dynamics', Journal of Guidance, Control, and Dynamics, Vol. 19, No. 1, pp. 240-242.
198. M. P. Snow and J. M. Reising, (1999): Effect of Pathway-in-the-Sky and Synthetic Terrain Imagery on Situation Awareness in a Simulated Low-Level Ingress Scenario. Wright-Patterson AFB, ASC-99-1229.

199. Mallet, T. (1993). 'Trajectory Prediction with 4D constraints', CENA Report R93062.
200. Martin-Emerson, R. and Wickens, C. D. (1997): Superposition, Visual Attention, and the Head-Up Display. *Human Factors*: 39, 1997, 581-601
201. McGreevy, M.W. and Ellis, S.R. (1986). 'The Effect of Perspective Geometry on Judged Direction in Spatial Information Instruments', *Human Factors*, Vol. 28, No. 4, pp. 439-456.
202. McGreevy, M.W., et al. (1986). Virtual space and two-dimensional effects in perspective displays. In R.A. Miller & R.J. Jagacinski (Eds.), Proceedings of the 21st Annual Conference on Manual Control (pp. 29.1-29.14). Moffett Field, CA: NASA Ames
203. McLane, R.C. and Wolf, J.D. (1965). 'A Comparative Evaluation of Pictorial vs. Symbolic Displays for Submarines'. Proceedings of the AIAA/USN Marine Systems and ASW Conference, AIAA Paper No. 65-246, San Diego, CA.
204. McRuer, D.T. and Jex, H. (1967). 'A Review of Quasi-Linear Pilot Models', *IEEE Transactions on Human Factors in Electronics*, Vol. HFE-8, No. 3, pp. 231-249.
205. McRuer, D.T. and Krendel, E.S. (1974). 'Mathematical Models of Human Pilot Behavior', AGARDograph No. 188.
206. McRuer, D.T.; Allen, R.W.; Weir, D.H.; and Klein, R.H. (1977). 'New Results in Driver Steering Control Models', *Human Factors*, Vol. 19, No. 4, pp. 381-397.
207. McRuer, D.T.; Graham, D.; Krendel, E.; and Reisener, W. (1965). 'Human Pilot Dynamics in Compensatory Systems - Theory, Models, and Experiments with controlled element and Forcing Function Variations', AFFDL-TR-65-15.
208. McRuer, D.T.; Weir, D.H.; and Klein, R.H. (1971). 'A Pilot-Vehicle Systems Approach to Longitudinal Flight Director Design', *Journal of Aircraft*, Vol. 8, No. 11, pp. 890-897.
209. Mecham, M. (1994). 'Autopilot Go-Around Key to CAL Crash', *Aviation Week & Space Technology*, May 9, pp. 31-32.
210. Merrick, V.K. (1993), "Some VTOL Head-Up Display Drive-Law Problems and Solutions", NASA TM-104027, November 1993.
211. Merrick, V.K., Farris, G.G. and Vanagas, AA. (1990), "A Head Up Display for Application to V/STOL Aircraft Approach and Landing", NASA TM-102216, January 1990.
212. Möller, H. and Sachs, G. (1994). 'Synthetic Vision for Enhancing Poor Visibility Flight Operations', *IEEE AES Systems Magazine*, Vol. 9, No. 3, pp. 27-33.

213. Monagan, S. J. and Smith, R. E. (1981): Head-Up Display Flight Test. Proceedings 5th Advanced Aircrew Display Symposium, Patuxent River, September 1981, pp. 104-116
214. Mooij, H.A. (1984). 'Criteria for low-speed longitudinal handling qualities', Martinus Nijhoff Publishers, The Netherlands.
215. Morrelo, S.A.; Knox, C.E.; and Steinmetz, G.G. (1977). 'Flight-Test Evaluation of Two Electronic Display Formats for Approach to Landing Under Instrument Condition', NASA Technical Paper 1085, Langley Research Center, Hampton, VA.
216. Mulder, M. (1992). 'Aviation Displays and Flight Path Predictors', Msc. Thesis, Faculty of Aerospace Engineering, Delft University of Technology, Delft, The Netherlands.
217. Mulder, M. (1994). Displays, Perception and Aircraft Control - A Survey of Theory and Modeling of Pilot Control Behaviour with Spatial Instruments. Report LR-762, Delft University of Technology, The Netherlands.
218. Mulder, M. (1995). 'Towards a Control-Theoretic Model of Pilot Manual Control Behaviour with a Perspective Flight-Path Display'. Proceedings of the XIV European Annual Conference on Human Decision Making and Manual Control, Delft, The Netherlands.
219. Nataupsky, M. (1987). Piloted Evaluation of Stereo and Non-stereo Pictorial Displays for Curved Approach to Landing. Spatial Displays and Spatial Instruments Conference and Workshop, August, 1987.
220. Nataupsky, M.; Crittenden, L. (1988). Stereo 3-D and Non-stereo Presentations of a Computer-Generated Pictorial Primary Flight Display with Pathway Augmentation. 8th Digital Avionics Systems Conference, October, 1988.
221. Nataupsky, M.; Turner, T.L.; Lane, H.; and Crittenden, L. (1989). Development of a Stereo 3-D Pictorial Primary Flight Display. Spatial Displays and Spatial Instruments, Ellis, S. R.; Kaiser, M. K.; Grunwald, A.; editors. NASA CP-10032, 1989, pp. 39-1 - 39-8.
222. National Transportation Safety Board (1973). 'Eastern Airlines L-1011, Miami, Dec. 29, 1972', Report No. NTSB-AAR-73-14, Washington, DC.
223. Newman, R. L. (1997): Head-Mounted and Head-Up Display Glossary. AFDD TR-98-A-005, October 1997
224. Newman, R. L.; Schwartz, R. J.; Greeley, K. W.; and Ellis, D. R.: A Low Cost General Aviation Head-Up Display. Crew Systems TR-98-34, August 1998
225. Nordwall, B.D. (1995). 'Road Map Leads FAA to Free Flight', Aviation Week & Space Technology, nov. 6, pp. 34.
226. Norman, D.A. (1986) 'Cognitive Engineering' In: User Centered System Design - New Perspectives on Human-Computer Interaction, eds. Norman, D.A. and Draper, S.W., Lawrence Erlbaum Associates, Hillsdale, NJ.

227. Oliver, J.G. (1986). 'The Advantage of Flightpath-Oriented Situation Displays During Microburst Encounters', SAE 861733, pp. 125-127.
228. Owen, D.H. (1990). 'Lexicon of terms for the perception and control of self-motion and orientation' In: R. Warren and A.H. Wertheim (Eds.), *The Perception and Control of Self Motion*. Hillsdale, N.J.
229. Owen, D.H. (1990). 'Perception & control of changes in self-motion: A functional approach to the study of information and skill' In: R. Warren and A.H. Wertheim (Eds.), *The Perception and Control of Self Motion*. Hillsdale, N.J.
230. Palmer, E., Jago, S. And DuBord, M. (1981). 'Horizontal Conflict Resolution Maneuvers with a Cockpit Display of Traffic Information', *Proceedings of the 17th Annual Conference on Manual Control*, Caltech JPL Pub. 81-95, pp. 51-62, Pasadena, CA.
231. Parrish, R. V. (2003). *Avionic Pictorial Tunnel-/Pathway-/Highway-In-The-Sky Workshops*. NASA CP-2003-212164, March, 2003.
232. Parrish, R. V.; and Williams, S. P. (1993). Trade-offs Arising from Mixture of Color Cueing and Monocular, Binoptic, and Stereopsis Cueing Information for Simulated Rotorcraft Flight. NASA TP 3268, February, 1993.
233. Parrish, R. V.; Busquets, A. M.; and Williams, S. P. (1990). Recent Research Results in Stereo 3-D Pictorial Displays at Langley Research Center. 9th Digital Avionics Systems Conference, October, 1990.
234. Parrish, R. V.; Busquets, A. M.; Williams, S. P.; and Nold, D. E. (1994). Spatial Awareness Comparisons between Large-Screen, Integrated Pictorial Displays and Conventional EFIS Displays during Simulated Landing Approaches. NASA TP 3467, Oct. 1994.
235. Parrish, R.V. and Williams, S.P. (1990). 'Stereopsis Cueing Effects on Hover-in-Turbulence Performance in a Simulated Rotorcraft', NASA Technical Paper 2980, NASA Langley Research Center, Hampton, VA.
236. Parrish, R.V., Baize, D.G., & Lewis, M.S. (2001). Synthetic vision. In C. Spitzer (Ed.), *The Avionics Handbook* (pp. 16-1 –16-8). CRC Press: Boca Raton
237. Parrish, R.V., Busquets, A.M., Williams, S.P., and Nold, D.E. (1994). 'Spatial Awareness Comparisons Between Large-Screen, Integrated Pictorial Displays and Conventional EFIS Displays During Simulated Landing Approaches', NASA Technical Paper 3467, Langley, VA.
238. Patterson, W.W. (1993). 'Multiple Function Sensors for Enhanced Vision Applications', *IEEE AES Systems Magazine*, March, pp. 27-30.
239. Pavel, M., Larimer, J. and Ahumada, A. (1991). Sensor Fusion for Synthetic Vision, AIAA-91-3730CP, pp. 164-173.

240. Pawlowski, T.J. (1990). Design of operator interfaces to support effective supervisory control and to facilitate intent inferencing by a computer-based operator's associate, PhD Thesis, Georgia Institute of Technology.
241. Pew, R.W. (1994). 'Situation Awareness: The Buzzword of the '90s'. CSERIAC Gateway, Vol. 5, No. 1, pp. 1-4.
242. Phillips, E.H. (1992). 'Langley Data Link System Provides ATC Communications, Weather Depiction', Aviation Week & Space Technology, January 6, pp. 52-53.
243. Phillips, E.H. (1993). 'Upgraded Data Link May Cut Fuel and Rerouting Costs', Aviation Week & Space Technology, December 6, pp. 39-40.
244. Phillips, E.H. (1995). 'FAA Program Aims to Reduce Runway Accidents'. Aviation Week & Space Technology, April 24, pp. 31-32.
245. Plant, R.T. (1993). 'Software Development Process Model for Aerospace Systems'. Proc. of the 9th AIAA Computing in Aerospace Conference, pp. 883-890.
246. Prevett, T.T., Wickens, C.D. (1994). Perspective Displays and Frame of Reference: Their Interdependence to Realize Performance Advantages over Planar Displays in a Terminal Area Navigation Task, Aviation Research Laboratory, University of Illinois at Urbana-Champaign, IL.
247. Prinzel, L. J. III; Arthur, J. J. III; Kramer, L. J.; and Parrish, R. V. (2004). Evaluation of Tunnel Concepts for Synthetic Vision Displays. Human Performance, Situation Awareness, and Automation Conference, March 22-25, 2004.
248. Prinzel, L. J., III; Bailey, R. E.; Comstock, J.R., Jr.; Kramer, L. J.; Hughes, M. F.; and Parrish, R. V. (2002). NASA Synthetic Vision EGE Flight Test. Human Factors & Ergonomics Society 2002 Meeting, Sept., 2002.
249. Prinzel, L.J. III; Comstock, J.R.; Glaab, L.J.; Kramer, L.J.; Arthur, J.J. III; & Barry, J.S. (2004): The efficacy of head-down and head-up synthetic vision display concepts for retro- and forward-fit of commercial aircraft. International Journal of Aviation Psychology, 14(1), 53-77.
250. Prinzel, L.J. III; Hughes, M.F.; Arthur, J.J. III; Kramer, L.J.; Glaab, L.J.; Bailey, R.E.; Parrish, R.V.; & Uenking, M.D. (2003): Synthetic Vision CFIT Experiments for GA and Commercial Aircraft: "A Picture Is Worth A Thousand Lives". Proceedings of the Human Factors & Ergonomics Society, 47, 164-168.
251. Prinzel, L.J. III; Kramer, L.J.; Arthur, J. J. III; Bailey, R.E.; & Raymond J. Comstock Jr. (2004): Comparison of Head-Up and Head-Down "Highway-In-The-Sky" Tunnel And Guidance Concepts For Synthetic Vision Displays. Proceedings of the Annual Human Factors and Ergonomics Meeting, 46, 135-139.
252. Prinzel, L.J. III; Kramer, L.J.; Comstock, J.R.; Bailey, R.E.; Hughes, M.F.; & Parrish, R.V. (2002): NASA synthetic vision EGE flight test. Proceedings of the Annual Human Factors and Ergonomics Meeting, 46, 135-139.

253. Proceedings of the 7th Plenary Session of the Synthetic Vision Certification Issues Study Team (1992). Williamsburg, VA, June 23-24, 1992.
254. Proceedings of the Final Plenary Session of the Synthetic Vision Certification Issues Study Team (1992). Williamsburg, VA, Jan. 13-14, 1993.
255. Proctor, P. (1995). 'Avionics Lab Begins F-22 Cockpit Tests', Aviation Week & Space Technology, November 6, pp. 52.
256. Quinn, T.J. (1982). 'Pictorial Formats Literature Review', AFWAL-TR-81-3156 Volume III, Flight Dynamics Laboratory, Wright-Patterson AFB, OH.
257. Read, B.C. (1996). 'Developing the Next Generation Cockpit Display System', IEEE AES Systems Magazine, October, pp. 25-28.
258. Regal, D. and Whittington, D. (1993): Synthetic Vision in Commercial Aviation-Display Requirements. Proceedings of the Aviation Psychology Symposium, April, 1992.
259. Regal, D. and Whittington, D. (1995). 'Guidance Symbology for Curved Flight Paths', Proceedings of the Eight Symposium on Aviation Psychology, Columbus, OH.
260. Reid, L.D. and Drewell, N.H. (1972). 'A Pilot Model for Tracking with Preview', Proceedings of the 8th Annual Conference on Manual Control.
261. Reinhart, W.F. (1992). 'Three-Dimensional Display Issues for Terminal-Area Operations', Proceedings of the Cockpit Electronic Display Workshop, pp. 162-179, April 9-11, Cambridge, MA.
262. Reising, J. M.; Liggett, K. K.; Kustra, T. W.; Snow, M. P.; Hartsock, D. C.; and Barry, T. P. (1998). Evaluation of pathway symbology used to land from curved approaches with varying visibility conditions. Proceedings of HFES 1998 42, 1-5.
263. Reising, J. M.; Liggett, K. K.; Solz, T. J.; and Hartsock, D. C. (1995). A Comparison of Two Head-up Display Formats Used to Fly Curved Instrument Approaches. Proceedings of the 39th annual meeting of the human factors and ergonomics society, 1-5.
264. Reising, J., & Snow, M.P. (2000). Curved landing approaches: Where is the payoff for pathway? Proceedings of the 44th annual meeting of the human factors and ergonomics society, 44, 25-28.
265. Reising, J., Barthelemy, K. and Hartsock, D. (1989). 'Pathway-In-The-Sky Evaluation', Proceedings of the Fifth Symposium on Aviation Psychology, Columbus, OH.
266. Rich, B.R. and Janos, L. (1994). Skunk Works, ISBN 0-316-74300-3
267. Rich, C. and Waters, R.C. (1988). 'Automatic Programming: Myths and Prospects'. IEEE Computer, Vol. 21, No. 8, pp. 40-51.

268. Riemersma, J.B.J. (1982). 'Perceptual Cues in Vehicle Guidance on a Straight Road', Proceedings of the 2nd European Annual Conference on Human Decision Making and Manual Control, pp. 127-136, Bonn, Germany.
269. Riley, V. (1994). 'A Theory of Operator Reliance on Automation', Human Performance in Automated Systems: Current Research and Trends, pp. 8-14, Hillsdale, NJ.
270. Rockwell Collins Avionics and Thomson-CSF (1995). 'Enhanced Vision System (EVS) Requirements Evaluation', DP.RCM No. 95/1303.
271. Rogers, S. P.; Spiker, V.A.; and Asbury, C. N. (1996): Development Of An Intelligent Symbology Management Systems For HMDs In Rotorcraft. Anacapa Sciences FR-1152, March 1996; AD-B209239
272. Roscoe, S.N. (1968). Airborne displays for flight and navigation. Human Factors, 10, 321-322
273. Roscoe, S.N. (1980). "Aviation Psychology" The Iowa State University Press.
274. Roscoe, S.N. (1991). 'The eyes prefer real images', In: Pictorial communication in virtual and real environments, Eds: Ellis, S.R., Kaiser, M.K., and Grunwald, A.J., pp. 577-585, Taylor & Francis.
275. Roscoe, S.N., Eisele, J.E., and Bergman, C.A. (1975). 'Advanced Integrated Aircraft Displays and Augmented Flight Control. Vol. I'. TR-ARL-75-12, University of Illinois Aviation Research Laboratory, Savoy, Ill.
276. Rouse, W.B. (1994). 'Twenty Years of Adaptive Aiding: Origins of the Concept and Lessons Learned', Human Performance in Automated Systems: Current Research and Trends, pp. 28-31, Hillsdale, NJ.
277. Rouse, W.B., Geddes, N.D., and Hammer, J.M. (1990). 'Computer-aided Fighter Pilots'. IEEE Spectrum, March issue, pp. 38-41.
278. Sachs, G., Dobler, K. and Hermle, P. (1997). 'Flight Testing Synthetic Vision for Precise Guidance Close to the Ground', Proceedings of the AIAA GNC Conference.
279. Sachs, G., Dobler, K. and Theunissen, E. (1999). 'Pilot-Vehicle System Control Issues for Predictive Flight path Displays', Proceedings of the AIAA GNC Conference, pp. Portland, Oregon.
280. Sage, A.P. (1992). Systems Engineering. Wiley, NY.
281. Sarter, N.B. and Woods, D.D. (1991). 'Situation Awareness: A Critical but Ill-Defined phenomenon'. The International Journal of Aviation Psychology, Vol. 1, No. 1, pp. 45-57.
282. Sarter, N.B. and Woods, D.D. (1994). 'Decomposing Automation: Autonomy, Authority, Observability and Perceived Animacy', Human Performance in Automated Systems: Current Research and Trends, pp. 22-27, Hillsdale, NJ.
283. Sarter, N.B. and Woods, D.D. (1995). 'Strong, Silent, and Out-of-the-Loop: Properties of Advanced (Cockpit) Automation and Their Impact on Human-

- Automation Interaction', CSEL Report 95-TR-01, The Ohio State University, Columbus, OH.
284. Schiavone, A.J. (1996). 'Military avionics fly off the shelf', *Aerospace America*, Vol. 34, No. 2, pp. 28-32.
 285. Schiflett, S. G.; Linton, P. M.; and Spicuzza, R. J. (1981): Evaluation of a Pilot Workload Assessment Device to Test Alternate Display Formats and Control Handling Qualities. Proceedings 5th Advanced Aircrew Display Symposium, Patuxent River, September 1981, pp. 117-126
 286. Schnell, T. and Etherington, T. (2002): Simulation and Field Testing of a Synthetic Vision Information System for Commercial Flight Decks. 16th Biennial Symposium on Visibility and Simulation, June 2002.
 287. Sheridan, T.B. (1966). 'Three Models of Preview Control', *IEEE transactions on Human Factors in Electronics*, Vol. HFE-7, No. 2, pp. 91-102.
 288. Shneiderman, B. (1982). 'The Future of Interactive Systems and the Emergence of Direct Manipulation'. *Behaviour and Information Technology*, Vol. 1, pp. 237-256.
 289. Smith, B.A. (1995). 'Douglas Enhances MD-95 Cockpit', *Aviation Week & Space Technology*.
 290. Snow, M.P., & Reising, J.M. (1999). Effect of pathway-in-the-sky and synthetic terrain imagery on situation awareness in a simulated low-level ingress scenario. In 4th Annual Symposium on Situation Awareness in the Tactical Air Environment (pp. 187-207). Patuxent River, MD: NAWCAD.
 291. Sparaco, P. (1994) 'Human Factors Cited in French A320 Crash', *Aviation Week and Space Technology*, Jan. 3.
 292. Sridhar, B., and Phatak, A.V. (1992). 'Simulation and Analysis of Image-based Navigation System for Rotorcraft low altitude flight', *IEEE Transactions on Systems, Man, and Cybernetics*, Vol. 22, No. 2, pp. 290-299,
 293. Stassen, H.G., Johannsen, G. and Moray, N. (1990). 'Internal Representation, Internal Model, Human Performance and Mental Workload', *Automatica*, Vol. 26, No. 4, pp. 811-820.
 294. Steenblik, J.W. (1994). 'Jeppesen Adds Color Terrain Contour Lines to Approach Charts', *Airline Pilot*, October, pp. 36.
 295. Steinmetz, G.G. (1980). 'Simulation Development and Evaluation of an Improved Longitudinal Velocity vector Control-Wheel Steering Mode and Electronic Display Format', NASA Technical Paper 1664, Langley Research Center, Hampton, VA.
 296. Steinmetz, G.G. (1986). 'Development and Evaluation of an Airplane Electronic Display Format Aligned With the Inertial Velocity vector', NASA Technical Paper 2648, Langley Research Center, Hampton, VA.

297. Stokes, A.F. Wickens, C.D., Kite, K. (1990). Display Technology - Human Factors Concepts Society of Automotive Engineers Inc. Warrendale, PA.
298. Strongman, E. (1994). Certification Considerations, Proceedings of Synthetic Vision Systems for Civil Aviation, Royal Aeronautical Society, ISBN 1 85768 185 1, pp. 6.1-6.5.
299. Suisse, H (1979): Head-Up Display System: PERSEPOLIS Symbology, Dassault Report DGT-16453, September 1979
300. Swenson, H.N.; Jones, R.D.; and Clark, R. (1993). 'Flight Evaluation of a Computer Aided Low-Altitude Helicopter Flight Guidance System', Combat Automation for Airborne Weapon Systems: Man/Machine Interface Trends and Technologies, AGARD CP-520, pp. 28.1-28.11.
301. Takallu, M. A.; Wong, D. T. ; Bartolone, A. P. ; Hughes, M. F.; and Glaab, L. J. (2004): Interaction Between Various Terrain Portrayals And Guidance/Tunnel Symbology Concepts For General Aviation Synthetic Vision Displays During A Low En-Route Scenario. 23rd Digital Avionics Systems Conference
302. Takallu, M.A.; Wong, D.T.; and M.D. Uenking (2002): Synthetic Vision Systems in GA Cockpit- Evaluation of Basic Maneuvers Performed by Low Time GA Pilots during Transition from VMC to IMC. International Advanced Avionics Technology Conference, Anchorage, AK.
303. Taylor, L.J. (1995). 'Enhanced Situation Awareness System (ESAS) System and Development Overview', Collins Air Transport Division, Rockwell International.
304. Theunissen, E (1997): Integrated Design Of A Man-Machine Interface For 4D Navigation, Delft: Delft University Press, 1997
305. Theunissen, E. (1991). 'Perspective Displays for 3D and 4D Navigation: A Literature Review', Memorandum VG-91-004, National Aerospace Laboratory NLR, The Netherlands.
306. Theunissen, E. (1991). 'D³S: The Delphins Display Design System - Part I'. Master's Thesis, Faculty of Electrical Engineering, Delft University of Technology, Delft, The Netherlands.
307. Theunissen, E. (1993) 'D³S: The Delphins Display Design System', Proceedings of the AIAA Flight Simulation Technologies, pp. 62-67, August 9-11, Monterey, CA.
308. Theunissen, E. (1993). 'A Primary Flight Display for Four-Dimensional Guidance and Navigation: Influence of Tunnel Size and Level of Additional Information on Pilot Performance and Control Behaviour', Proceedings of the AIAA Flight Simulation Technologies Conference, pp. 140-146, August 9-11, Monterey, CA.
309. Theunissen, E. (1994). Factors influencing the design of perspective flight displays for guidance and navigation. Displays, 15 (4), 241-254.

310. Theunissen, E. (1994). 'Integrated Design for Research Oriented Systems: The Software Bottleneck', Proceedings of the IFAC Conference on Integrated Systems Engineering '94, pp. 23-28, Sept. 27-29, Baden-Baden, Germany.
311. Theunissen, E. (1994). 'The Development of the Delphins Display Design System'. Proc. of the International Training and Equipment Conference (ITEC), pp. 583-588, The Hague, The Netherlands.
312. Theunissen, E. (1995). 'In-flight application of 3-D guidance displays: problems and solutions', Proceedings of the '95 IFAC MMS Conference, pp. 285-290, June 27-29, Cambridge, MA.
313. Theunissen, E. (1997). Integrated Design of a Man-Machine Interface for 4-D Navigation, ISBN 90 407 1406 1.
314. Theunissen, E. (1998). 'Spatial terrain displays: promises and potential pitfalls', Proceedings of the 17th Digital Avionics Systems Conference, E46-1 to E46-8, October 31-November 6th, Seattle, WA.
315. Theunissen, E. and Lamerigts, T.H. (1994). 'Increasing the Flexibility and Reducing the Cost of Flight Simulators', Proceedings of the AIAA Flight Simulation Technologies Conference, pp. 82-92, August 1-3, Scottsdale, AZ.
316. Theunissen, E. and Mulder, M. (1994). 'Open and Closed Loop Control With a Perspective Tunnel-in-the-Sky Display', Proceedings of the AIAA Flight Simulation Technologies Conference, pp. 32-43, August 1-3, Scottsdale, AZ.
317. Theunissen, E. and Mulder, M. (1995). 'Availability and Use of Information in Perspective Flightpath Displays' Proceedings of the AIAA Flight Simulation Technologies Conference, pp. 137-147, August 7-9, Baltimore, MD.
318. Theunissen, E. and Mulder, M. (1995). 'Error-Neglecting Control with Perspective Flightpath Displays', Proceedings of the Eight International Symposium on Aviation Psychology, Columbus, OH.
319. Theunissen, E., & Rademaker, R.M. (2001). Spatially integrated depiction of dynamic trajectories. SAE 2001-01-2960. Proceedings of World Aviation Congress, Sept. 10-14. Seattle, WA.
320. Thomas, L. C., & Wickens, C. D. (2001). Visual displays and cognitive tunneling: Frames of reference effects on spatial judgments and change detection. Proceedings of the 45th Annual Meeting of the Human Factors and Ergonomics Society. Santa Monica, CA: Human Factors and Ergonomics Society.
321. Todd, J., Summers, L., and Hammontre, P. (1995). 'Image Quality Issues for and Enhanced Vision Head Up Display', IEEE AES Systems Magazine, March, pp. 40-44.
322. Turner, T.L. and Hellbaum, R.F. (1986). 'A 3-D Pictorial Stereo Cockpit Display', SID 86 Digest, pp. 444-447.

323. Vakil, S.S., Hansman, R.J., Midkiff, A.H., Vaneck, T. (1995). 'Mode Awareness in Advanced Autoflight Systems', Proceedings of the '95 IFAC MMS Conference, pp. 427-432, June 27-29, Cambridge, MA.
324. Verfurth, S.C., Govindaraj, T. and Mitchell, C.M. (1991). 'OFMspert for the 727: An Investigation in to Intent Inferencing on the Flight Deck', Proceedings of the International Conference on Systems, Man, and Cybernetics, pp. 1311-1315, Charlottesville, VA.
325. Ververs, P. M., & Wickens, C.D. (2000). Designing head-up displays (HUDs) to support flight path guidance while minimizing effects of cognitive tunneling. Proceedings of the 44th annual meeting of the human factors and ergonomics society, 44, 45-48.
326. Vidulich, M.A. (1992). 'Measuring Situation Awareness', Proceedings of the Human Factors Society 36th Annual Meeting, pp. 40-41, Santa Monica, CA.
327. Viken, S.A. and Burley II, J.R. (1992). 'Predictive nosepointing and flightpath displays for air-to-air combat'. Helmet Mounted Displays III, Proceedings of the International Society for Optical Engineering (SPIE), pp. 154-165.
328. Warner, D.A. (1979). Flight Path Displays. AFFDL-TR-79-3075, Wright Patterson AFB, OH.
329. Warner, J.A. (1969), A Fundamental Study of Predictive Display Systems, NASA CR-1274.
330. Warren, R. (1982). 'Optical transformation during movement: Review of the optical concomitants of egomotion', Technical Report AFOSR-TR-82-1028, Bolling AFB, DC: Air Force Office of Scientific Research (NTIS no. AD-A122 275).
331. Warrendale, P. A.: Electronic Display Symbology for EADI/PFD. Society of Automotive Engineers (SAE) (1988)., SAE ARP4102/7,
332. Watler, J.F. and Logan, W.B. (198x). The Maneuvering Flight Path Display - An Update, pp. 138-162.
333. Watler, JF and Logan, WB (1979), Earth-Referenced Maneuvering Flight Display, AIAA Paper 79-1894
334. Watler, JF and Logan, WB (1981) "Earth-Referenced Maneuvering Flight Display - An Update", 5th Advanced Aircrew Display Symposium, pp. 138-162
335. Watler, JF and Logan, WB (1981), "Earth-Referenced Maneuvering Flight Display - A Flight Trajectory Solution Display Concept", 1981 National Aerospace and Electronics Conference, Dayton (NAECON '81)
336. Wattler Jr., J.F. and Mulley, W.G. (1977). 'Feasibility Demonstration of the Earth-Referenced Maneuvering Flight Path Display', Presented at the AIAA Guidance and Control Conference, Hollywood, FL.
337. Way, T.C. (1989). '3-D in Pictorial Formats for Aircraft Cockpits', Proceedings of the Human Factors Society 33 Annual Meeting, pp. 23-27. rd

338. Way, T.C., Hornsby, M.E., Gilmour, J.D., Edwards, R.E. and Hobbs, R.E. (1984). 'Pictorial Format Display Evaluation', AFWAL-TR-84-3036, Wright Patterson AFB, OH.
339. Weiss, EC (1964), The Development Of Little Guy Information Sources, Matrix Report 64-8
340. Wickens et al. (1989). Three-dimensional displays: Perception, implementation, and application (Tech Rep. ARL-89-11) University of Illinois.
341. Wickens, C.D. (1984). Engineering Psychology and Human Performance, Charles E. Merrill Publishing Company, Columbus, OH.
342. Wickens, C.D. (1995). 'Situation Awareness: Impact of Automation and Display Technology', Keynote address to the AGARD Aerospace Medical Panel Symposium on Situation Awareness, Brussels, Belgium.
343. Wickens, C.D. and Andre, A.D. (1990). 'Proximity compatibility and information display: Effects of color, space, and objectness on information integration', Human Factors, Vol. 32, pp. 61-77.
344. Wickens, C.D., Haskell, I., and Harte, K. (1989). 'Ergonomic Design for Perspective Flight Path Displays', IEEE Control Systems Magazine, pp. 3-8.
345. Wickens, C.D., Haskell, I., and Harte, K. (1989). 'Perspective Flight Path Displays', Final Technical Report ARL-89-2/Boeing-89-1, Aviation Research Laboratory, Institute of Aviation, University of Illinois at Urbana-Champaign.
346. Wickens, C.D., Todd, S., Seidler, K. (1990). Three-dimensional displays: Perception, implementation, applications University of Illinois, Aviation Research Laboratory.
347. Wiener, E.L. and Curry, R.E. (1980). 'Flight-Deck Automation: Promises and Problems', NASA Technical Memorandum 81026.
348. Wilckens, V. (1973). 'Improvements in Pilot/Aircraft-Integration by Advanced Contact Analog Displays', Proceedings of the 9th Annual Conference on Manual Control, pp. 175-192, Massachusetts Institute of Technology, Cambridge, MA.
349. Wilckens, V. and Schattenmann, W. (1968). 'Test Results with New Analog Displays for All-Weather Landings', AGARD Conference Proceedings No. 55, pp. 10.1-10.31.
350. Wilkins, R. R., Jr. (2000). Use of Predictive Perspective Guidance Displays for Increased Situational Awareness. American Helicopter Society Forum 57, Washington, DC, May, 2000.
351. Williams, D.H. and Green, S.M. (1991). 'Airborne Four-Dimensional Flight Management in a Time-Based Air Traffic Control Environment', NASA Technical Memorandum 4249.
352. Williams, K.W. (2000): Impact of Aviation Highway-In-The-Sky Displays on Pilot Situation Awareness. FAA CAMI, DOT/FAA/AM-00/31

353. Williams, K.W. (2001). Pilot decision making and performance using a highway-in-the-sky display. 11th International Av Psych symposium.
354. Williams, S. P., and Parrish, R. V. (1990). In-Simulator Assessment of Trade-offs Arising from Mixture of Color Cueing and Monocular, Binoptic, and Stereopsis Cueing Information. IEEE SOUTHEASTCON, New Orleans, IEEE 90-259, April, 1990.
355. Williams, S. P., and Parrish, R. V. (1992). Recent Results from the Army/NASA LaRC Display Technology Program. Army Aviation Magazine, July, 1992.
356. Williams, S. P.; Busquets, A. M.; and Parrish, R. V. (1990). Some Recent Results from Langley Research Center in Stereo 3-D Pictorial Displays. 1990 Army Aviation Electronics Symposium, September, 1990.
357. Williams, S. P.; Busquets, A. M.; Parrish, R. V.; and Nold, D. E. (1994): Comparison of Pilots' Acceptance and Spatial Awareness When Using EFIS vs. Pictorial Display Formats for Complex, Curved Landing Approaches. In Situational Awareness in Complex Systems; editors Gilson, R. D.; Garland, D. J.; and Koonce, J. M.; Embry-Riddle Aeronautical University Press, Daytona Beach, FL, 1994.
358. Williams, S. P.; Busquets, A. M.; Parrish, R. V.; and Nold, D. E. (1993). Comparison of Pilots' Acceptance and Spatial Awareness When Using EFIS vs. Pictorial Display Formats for Complex, Curved Landing Approaches. Situation Awareness in Complex Systems Conference, February, 1993.
359. Williams, S. P.; Parrish, R. V.; and Busquets, A. M. (1992). Benefits, Limitations, and Guidelines for Application of Stereo 3-D Display Technology to the Cockpit Environment. AGARD, May 1992.
360. Wohl, J.G. (1961). 'Man-Machine Steering Dynamics', Human Factors, Vol. 3, pp. 222-228.
361. Wolpert, L., Owen, D.H. and Warren, R. (1983). 'The isolation of optical information and its metrics for the detection of descent', Optical flow and texture variables useful in simulating self motion (II), Columbus, OH.
362. Wong, D.T.; Takallu, M.A.; Hughes, M.F.; Glaab, L.G. (2004) : Simulation Experiment for Developing the Symbolology for the Approach and TOGA Phases of Flight of Head-Down Synthetic Vision Systems Displays. AIAA Modeling and Simulation Technologies Conference, Providence, Rhode Island.
363. Woods, D.D. (1994). 'Automation: Apparent Simplicity, Real Complexity', Human Performance in Automated Systems: Current Research and Trends, pp. 1-7, Hillsdale, NJ.
364. Y.A. van Houten, (1999): Attentional Effects of Superimposing Flight Instrument and Tunnel-in-the-Sky Symbolology on the World. National Lucht-en Ruimtevaartlaboratorium, NLR-TP-99141.

365. Young, R. and Siferd, J. (1990). 'Integration of Terrain Elevation and Feature Data for Tomorrow's Cockpits', IEEE DASC, pp. 525-528.
366. Zelenka, R. E.; Smith, P. N.; Coppenbarger, R. A.; Njaka, C. E.; and Sridhar, B.: Results from the NASA Automated Nap-of-the-Earth Program. Journal of the American Helicopter Society: 42, 1997, 107-115
367. Zelenka, R.E., Clark, R.F., Zirkler, A., Saari, R., and Branigan, R.G. (1996). 'Development and Flight Test of Terrain-Referenced Guidance with Ladar Forward Sensor', Journal of Guidance, Control, and Dynamics, Vol. 19, No. 4, pp. 823-828. Systems Associates, Inc. (1983). Command Flight Path Display, Phase I and II, Final Technical Report, R83-49, CA.